



TREATMENT & SERVICE NOTIFICATION

Sample Pond

Contact: -

Address: -

Permit Number: ANC970000

Date: **1/1/2019** Time: **12:00 PM** Weather: **75 °F Sunny**

Treatment Number: **1** Today's Applicator: **Paul Dominick**

Services Included in Today's Visit

Algae Control

Submerged Plant Control

Colorant

Products Included in Today's Treatment

Old Bridge Copper Sulfate

(Copper Sulfate, EPA Reg. No. 46923-4)

Tribune

(Diquat Dibromide, EPA Reg. No. 100-1390)

Blue Springs Dye

(Water Dye, EPA Reg. No. N/A)

Water Use Restrictions

For treatment areas only, please follow all restrictions listed below.

- | | |
|--|---|
| X Do not swim until <u>1/3/2019</u> | X Do not irrigate turf or lawns until <u>1/5/2019</u> |
| X Do not drink treated water until <u>1/5/2019</u> | X Do not irrigate ornamentals until <u>1/5/2019</u> |
| X Do not water livestock until <u>1/3/2019</u> | X Do not irrigate food crops until <u>1/7/2019</u> |

There are no water use restrictions for domestic purposes, fishing, or fish consumption.

Notes & Recommendations

Please take a moment to share your positive review on Facebook or Google to let us know your experience with "The LakePro Difference"!

Reviewed By: Zach Goodheart - Director of Pond Management



THANK YOU FOR CHOOSING LAKEPRO!

9353 Hill Rd., Swartz Creek, MI 48473 · p (810) 635 - 4400 · f (810) 635 - 4404 · www.lakeproinc.com